

## DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection

HC 2 South, 280 State Drive Waterbury VT 05671-2060 http://www.dail.vermont.gov

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

August 30, 2018

Ms. Cathy Williams, Administrator Mansfield Place 18 Carmichael Street Essex Junction, VT 05452-3170

Man Cota PN

Dear Ms. Williams:

The Division of Licensing and Protection completed a complaint investigation at your facility on **August 22, 2018**. The purpose of the investigation was to determine if your facility was in compliance with Assisted Living Residence Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,

Pamela Cota, RN Licensing Chief Division of Licensing and Protection (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION (X1) PROVIDER/SUPPLIER/CLIA STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: \_\_\_\_\_ C B. WING 08/22/2018 1011 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 18 CARMICHAEL STREET MANSFIELD PLACE ESSEX JUNCTION, VT 05452 (X5) COMPLETE PROVIDER'S PLAN OF CORRECTION SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PREFIX (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) A 001 A 001 VI Initial Comments The Division of Licensing and Protection conducted an unannounced onsite facility self report investigation on 8/22/18. There were no regulatory violations as a result.

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE