

Division of Licensing and Protection  
HC 2 South, 280 State Drive  
Waterbury VT 05671-2060  
<http://www.dail.vermont.gov>  
Survey and Certification Voice/TTY (802) 241-0480  
Survey and Certification Fax (802) 241-0343  
Survey and Certification Reporting Line (888) 700-5330  
To Report Adult Abuse: (800) 564-1612

October 8, 2021

Mr. Timothy Urich, Administrator  
The Pines At Rutland Center For Nursing And Rehabi  
99 Allen Street  
Rutland, VT 05701-4501

Provider ID #: 475018

Dear Mr. Urich:

The Division of Fire Safety conducted a Life Safety Code revisit conducted on **October 1, 2021**, they found that all the deficiencies cited at the **July 12, 2021** Life Safety Code survey have been corrected.

If you have any questions concerning this letter please contact me at (802) 241-0480.

Sincerely,



Pamela Cota, RN  
Licensing Chief

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/08/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>475018</b>		(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R</b> <b>10/01/2021</b>	
NAME OF PROVIDER OR SUPPLIER  <b>THE PINES AT RUTLAND CENTER FOR NURSING AND REHABI</b>				STREET ADDRESS, CITY, STATE, ZIP CODE <b>99 ALLEN STREET</b> <b>RUTLAND, VT 05701</b>			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{K 000}	<b>INITIAL COMMENTS</b>  <p>The Division of Fire Safety conducted an unannounced, onsite revisit survey at the facility on the date indicated in the upper right hand corner of this form. The violation(s) previously identified have been corrected.</p>			{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.