

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury, VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

December 1, 2020


Deborah Wesley, Director  
Addison County Home Health & Hospice Inc  
Po Box 754  
Middlebury, VT 05753-0754

Provider #: 477014

Dear Ms. Wesley:

The Division of Licensing and Protection conducted an onsite complaint investigation on **November 9, 2020**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **November 17, 2020** and there were no regulatory violations related to the complaint allegations.

Sincerely,



Pamela M. Cota, RN  
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/01/2020  
FORM APPROVED  
OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  |  | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>477014</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>11/17/2020</b> |
|---|--|---|---|----------------------|---|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>ADDISON COUNTY HOME HEALTH &amp; HOSPICE INC</b> |  |   | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>PO BOX 754</b><br><b>MIDDLEBURY, VT 05753</b>                       |                      |   |
| (X4) ID PREFIX TAG  | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG   | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |   |
| G 000   | INITIAL COMMENTS<br><br>An unannounced onsite complaint investigation was conducted on 11/9/20, and concluded on 11/17/20. There were no federal regulatory violations identified. | G 000   |   |                      |   |
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE                   |  |   | TITLE   |                      | (X6) DATE   |

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.