

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

March 18, 2021

Mr. Nicholas McCardle, Director
Bayada Home Health Care Inc
600 Blair Park Road, Suite 300
Williston, VT 05495-7589

Provider Number: 477019

Dear Mr. McCardle:

On **March 15, 2021** staff from the Division of Licensing and Protection conducted a Federal complaint investigation survey at Bayada Home Health Care Inc. The purpose of the investigation was to determine if your agency was in compliance with Federal participation requirements for a Home Health Agency participating in the Medicare/Medicaid programs.

This survey found that your facility was in substantial compliance with the participation requirements.

Sincerely,



Suzanne Leavitt, RN, MS
Assistant Division Director
Director State Survey Agency
Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 477019	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 03/15/2021
NAME OF PROVIDER OR SUPPLIER BAYADA HOME HEALTH CARE INC			STREET ADDRESS, CITY, STATE, ZIP CODE 600 BLAIR PARK ROAD, SUITE 300 WILLISTON, VT 05495		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
G 000	INITIAL COMMENTS An unannounced onsite complaint investigation was conducted by the Division of Licensing and Protection on 3/8/2021, and completed on 3/15/2021. There were no federal regulatory findings.	G 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.