

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
To Report Adult Abuse: (800) 564-1612
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330

March 24, 2020

Kristin Barnum, Director
Bayada Home Health Care
600 Blair Park Road, Suite 300
Williston, VT 05495-7589

Dear Ms. Barnum:

The Division of Licensing and Protection completed a State complaint investigation at your facility on **March 4, 2020**. The purpose of the investigation was to determine if your agency was in compliance with Regulations for the Designation and Operation of Home Health Agencies. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Suzanne Leavitt, RN, MS
Assistant Division Director
State Survey Agency Director

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 477019	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 03/04/2020
--------------------------------------------------	-------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------------------

NAME OF PROVIDER OR SUPPLIER BAYADA HOME HEALTH CARE	STREET ADDRESS, CITY, STATE, ZIP CODE 600 BLAIR PARK ROAD, SUITE 300 WILLISTON, VT 05495
--------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
H 001	<p>Initial Comments</p> <p>An unannounced State onsite investigation of a complaint was conducted by the Division of Licensing & Protection on March 4, 2020. There were no findings identified as a result of the investigation.</p>	H 001		

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---------------------------------------------------------------------------------------------------------------	-------	-----------