

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

January 20, 2021

Ms. Melissa Haupt, Administrator
Berlin Health & Rehab Ctr
98 Hospitality Drive
Barre, VT 05641-5360

Provider ID #: 475020

Dear Ms. Haupt:

The Centers for Medicare & Medicaid Services (CMS) is committed to taking critical steps to ensure America's health care facilities are prepared to respond to the threat of disease caused by the 2019 Novel Coronavirus (COVID-19). In accordance with *Memorandum QSO-20-20-All*, CMS is suspending certain Federal and State Survey Agency surveys, and delaying revisit surveys, for all certified provider and supplier types.

During this time, CMS is prioritizing and conducting only the following surveys: focused infection control surveys, investigations of complaints and facility-reported incidents that are triaged at the Immediate Jeopardy (IJ) level, and revisit surveys for unremoved IJ level deficiencies. With the exception of unremoved IJs, CMS will also be exercising enforcement discretion during the suspension period. For additional information on the prioritization of survey activities please visit <https://www.cms.gov/files/document/qso-20-20-allpdf.pdf-0>.

SURVEY RESULTS

On **January 4, 2021**, the Division of Licensing and Protection completed a COVID-19 Onsite Focused Infection Control Survey at Berlin Health & Rehab Ctr to determine if your facility was in compliance with Federal requirements related to implementing proper infection prevention and control practices to prevent the development and transmission of COVID-19. The survey revealed that your facility was in substantial compliance with participation requirements and no deficiencies were cited. The findings from this survey are documented on the enclosed Form CMS 2567.

No additional action is required on the facility's part.

QUALITY IMPROVEMENT ORGANIZATION (QIO) RESOURCES

The Quality Improvement Organization (QIO) Program is committed to supporting healthcare facilities in the fight to prevent and treat COVID-19 as it spreads throughout the United States. QIO resources regarding COVID-19 and infection control strategies can be found at QIO Program Website <https://qioprogram.org/covid-19>. This page will continue to be updated as more information is made available. QIOs will be reaching out to Nursing Homes to provide virtual technical assistance related to infection control. QIOs per state can be found at Locate Your QIO <https://qioprogram.org/locate-your-qio>.

CONTACT INFORMATION

If you have any questions please contact Pamela Cota, Licensing Chief/Nurse Administrator II at (802) 241-0347.

Sincerely,

A handwritten signature in black ink that reads "Pamela M. Cota RN". The signature is written in a cursive style.

Pamela M. Cota, RN
Licensing Chief

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/20/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475020	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/04/2021
NAME OF PROVIDER OR SUPPLIER BERLIN HEALTH & REHAB CTR			STREET ADDRESS, CITY, STATE, ZIP CODE 98 HOSPITALITY DRIVE BARRE, VT 05641		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS An unannounced onsite CMS Focused Infection Control survey was completed by the Division of Licensing and Protection on 1/4/21 at Berlin Health and Rehabilitation Center. The facility was found to be in substantial compliance with requirements around infection prevention and control.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.