

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

December 1, 2020

Ms. Melissa Haupt, Administrator
Berlin Health & Rehab Ctr
98 Hospitality Drive
Barre, VT 05641-5360

Provider ID #: 475020

Dear Ms. Haupt:

On **November 30, 2020**, we conducted a revisit to the COVID-19 Focused survey of **October 20, 2020** to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility is in substantial compliance with participation requirements found in Title 42, Code of Federal Regulations as of **November 16, 2020**.

If you have any questions concerning this letter please contact me at (802) 241-0480.

Sincerely,



Pamela Cota, RN
Licensing Chief

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475020	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 11/30/2020
NAME OF PROVIDER OR SUPPLIER BERLIN HEALTH & REHAB CTR			STREET ADDRESS, CITY, STATE, ZIP CODE 98 HOSPITALITY DRIVE BARRE, VT 05641		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{F 000}	INITIAL COMMENTS The Division of Licensing and Protection conducted an unannounced, onsite revisit survey at the facility on the date indicated in the upper right hand corner of this form. The violation(s) previously identified have been corrected.	{F 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.