



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury, VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330
To Report Adult Abuse: (800) 564-1612

November 29, 2022

Melissa Haupt, Administrator
Burlington Health & Rehab
300 Pearl Street
Burlington, VT 05401-8531

Provider #: 475014

Dear Ms. Haupt:

The Division of Licensing and Protection conducted an onsite complaint investigation on **November 22, 2022**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **November 22, 2022** and there were no regulatory violations related to the complaint allegations.

Sincerely,

Pamela M. Cota RN
Pamela M. Cota, RN
Licensing Chief

Enclosure

To Report Adult Abuse: (800) 564-1612

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/29/2022
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475014	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/22/2022
NAME OF PROVIDER OR SUPPLIER BURLINGTON HEALTH & REHAB			STREET ADDRESS, CITY, STATE, ZIP CODE 300 PEARL STREET BURLINGTON, VT 05401		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS An unannounced onsite investigation of a complaint was conducted in conjunction with a Focused Infection Control Survey by the Division of Licensing and Protection on 11/21/22 and 11/22/22. There were no regulatory violations identified, the facility was found in substantial compliance.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.