

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330
To Report Adult Abuse: (800) 564-1612

May 20, 2022

Anna Noonan, President, COO
Central Vermont Medical Center
Box 547
Barre, VT 05641

Dear Ms. Noonan,

The Division of Licensing and Protection completed a complaint investigation at your facility on **May 10, 2022**. The purpose of the investigation was to determine if your facility met the conditions of participation for Acute Care Hospitals found in 42 CFR Part 482. This investigation found that your facility was in substantial compliance with the participation requirements.

Sincerely,



Suzanne Leavitt, RN, MS
State Survey Agency Director
Assistant Director, Division of Licensing & Protection

Encl

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/20/2022
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 470001	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 05/10/2022
NAME OF PROVIDER OR SUPPLIER CENTRAL VERMONT MEDICAL CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE BOX 547 BARRE, VT 05641		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
A 000	<p>INITIAL COMMENTS</p> <p>An unannounced on-site complaint investigation and staff vaccination requirement review was conducted at Central Vermont Medical Center on 5/9 - 5/10/22 by the Division of Licensing and Protection to determine compliance with Conditions of Participation: Patient Rights, Medical Staff, Nursing Services, Physical Environment, Emergency Services, and Infection Control/Staff vaccination. Complaint #20613 was investigated. There were no regulatory violations identified.</p>	A 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.