



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

October 3, 2024

Wendy Beatty, Manager
Equinox Terrace
324 Equinox Terrace Road
Manchester Center, VT 05255-9253

Dear Ms. Beatty:

The Division of Licensing and Protection completed a complaint investigation at your facility on **August 5, 2024**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 585-0995.

Sincerely,

A handwritten signature in black ink, appearing to read "Carolyn Scott".

Carolyn Scott, LMHC, M.S.
State Long Term Care Manager

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0127	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 08/05/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER EQUINOX TERRACE	STREET ADDRESS, CITY, STATE, ZIP CODE 324 EQUINOX TERRACE ROAD MANCHESTER CENTER, VT 05255
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	<p>Initial Comments:</p> <p>An unannounced onsite complaint investigation conducted by the Division of Licensing and Protection on 8/5/24. The RCH was found to be in substantial compliance regulatory requirements.</p>	R100		

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------