



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

February 16, 2024

Mr. Dan Bennett, Administrator
Gifford Medical Center
44 South Main Street
Randolph, VT 05060

Provider ID #: 471301

Dear Mr. Bennett:

On **February 12, 2024**, we conducted a revisit to the survey of **December 14, 2023** to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility is in substantial compliance with participation requirements found in Title 42, Code of Federal Regulations as of **January 19, 2024**.

If you have any questions concerning this letter, please contact me at (802) 241-0480.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Cota RN".

Pamela Cota, RN
Licensing Chief

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/16/2024
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 471301	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 02/12/2024
NAME OF PROVIDER OR SUPPLIER GIFFORD MEDICAL CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 44 SOUTH MAIN STREET RANDOLPH, VT 05060		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{C 000}	INITIAL COMMENTS An unannounced, onsite Centers for Medicare/Medicaid Services (CMS) revisit survey was conducted by the Division of Licensing and Protection on 2/12/2024 and found that all deficiencies identified on the 12/14/2023 survey have been corrected.	{C 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE



President and CEO

2/16/2024

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.