

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line (888) 700-5330

To Report Adult Abuse: (800) 564-1612

January 30, 2020

Ms. Maryjane Nottonson, Administrator
Helen Porter Healthcare & Rehab
30 Porter Drive
Middlebury, VT 05753-8422

Provider ID #: 475017

Dear Ms. Nottonson:

The Division of Licensing and Protection completed a re-certification survey at your facility on **January 27 to 29, 2020**. The purpose of the survey was to determine if your facility was in compliance with Federal participation requirements for nursing homes participating in the Medicare/Medicaid programs. This survey found that your facility was in substantial compliance with the participation requirements. Congratulations to you and your staff.

Please **sign the enclosed CMS 2567 and return** to this office by **February 9, 2020**.

Sincerely,



Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/30/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475017	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/29/2020
--	---	--	---

NAME OF PROVIDER OR SUPPLIER HELEN PORTER HEALTHCARE & REHAB	STREET ADDRESS, CITY, STATE, ZIP CODE 30 PORTER DRIVE MIDDLEBURY, VT 05753
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

E 000	Initial Comments An unannounced, on-site emergency preparedness survey was conducted by the Division of Licensing and Protection between 1/27-1/29/2020 in conjunction with the annual recertification survey. The facility was found to be in substantial compliance.	E 000		
F 000	INITIAL COMMENTS An unannounced, on-site recertification survey was conducted by the Division of Licensing and Protection between 1/27-1/29/2020. The facility was found to be in substantial compliance.	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.