



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line (888) 700-5330

To Report Adult Abuse: (800) 564-1612

July 25, 2023

Mr. David Beaugard, Administrator
Pine Heights At Brattleboro Center for Nursing & Rehab
187 Oak Grove Avenue
Brattleboro, VT 05301-6642

Provider ID #: 475023

Dear Mr. Beaugard:

The Department of Public Safety completed a Life Safety Code Survey at your facility on **June 29, 2023**. This survey found your facility to be in Substantial Compliance with all Fire Safety and ANSI standards.

Enclosed is the Deficiency Summary Sheet, Form CMS-2567, which requires your signature in accordance with instructions noted on the form. Please return the form to this office no later than **August 4, 2023**.

If you have any questions regarding this report, please do not hesitate to contact me.

Sincerely,

A handwritten signature in cursive script that reads "tammy wehmeyer".

Tammy Wehmeyer
Administrative Services Manager

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/25/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475023	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 06/29/2023
NAME OF PROVIDER OR SUPPLIER PINE HEIGHTS AT BRATTLEBORO CENTER FOR NURSING & R			STREET ADDRESS, CITY, STATE, ZIP CODE 187 OAK GROVE AVENUE BRATTLEBORO, VT 05301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	INITIAL COMMENTS The Divison of Fire Safety completed an unannounced onsite Life Safety Code inspection June, 29, 2023. The facility was found to be in substantial compliance with applicable Life Safety Code Requirements.	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.