



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury, VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330
To Report Adult Abuse: (800) 564-1612

December 14, 2022

Mr. Chad Dingman, Administrator
Pines Rehab & Health Ctr
601 Red Village Road
Lyndonville, VT 05851-9068

Provider ID #: 475044

Dear Mr. Dingman:

The Division of Licensing and Protection completed a survey at your facility on **November 30, 2022**. The purpose of the survey was to determine if your facility was in compliance with Federal participation requirements for nursing homes participating in the Medicare/Medicaid programs.

This survey found that your facility was in substantial compliance with the participation requirements.

Congratulations to you and your staff.

Sincerely,

A handwritten signature in cursive script that reads "Pamela M. Cota RN".

Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2022
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475044	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/30/2022
NAME OF PROVIDER OR SUPPLIER PINES REHAB & HEALTH CTR			STREET ADDRESS, CITY, STATE, ZIP CODE 601 RED VILLAGE ROAD LYNDONVILLE, VT 05851		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments An unannounced onsite emergency preparedness review was conducted, in conjunction with the recertification survey, by the Division of Licensing & Protection on 11/30/2022. There were no regulatory deficiencies identified as a result of the review.	E 000			
F 000	INITIAL COMMENTS An unannounced, on-site recertification survey and staff vaccination requirement review was conducted by the Division of Licensing and Protection on 11/28/22 through 11/30/22. The facility was found to be in substantial compliance with regulatory requirements.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.