



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury, VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

June 8, 2023

Amy Walker, Administrator
Rutland Healthcare & Rehabilitation Center
46 Nichols Street
Rutland, VT 05701-3275

Provider #: 475039

Dear Ms. Walker:

The Division of Licensing and Protection conducted an onsite complaint investigation on **June 5, 2023**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **June 5, 2023**, and there were no regulatory violations related to the complaint allegations.

Sincerely,

A handwritten signature in cursive script that reads "Pamela M. Cota, RN".

Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/08/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475039	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 06/05/2023
NAME OF PROVIDER OR SUPPLIER RUTLAND HEALTHCARE & REHABILITATION CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 46 NICHOLS STREET RUTLAND, VT 05701		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The Division of Licensing and Protection conducted an onsite, unannounced investigation of 5 complaints on 6/5/2023. There were no regulatory violations related to this investigation.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.