

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612


December 28, 2021

Claudio Fort, CEO  
Rutland Regional Medical Center  
160 Allen St  
Rutland, VT 05701-4560

Dear Mr. Fort:

The Division of Licensing and Protection completed a complaint investigation at your facility on **December 27, 2021**. The purpose of the investigation was to determine if your facility met the conditions of participation for Acute Care Hospitals found in 42 CFR Part 482. This investigation found that your facility was in substantial compliance with the participation requirements.

Sincerely,



Suzanne Leavitt, RN, MS  
State Survey Agency Director  
Assistant Director, Division of Licensing & Protection

Encl

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/28/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>470005</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b> <b>12/27/2021</b>
NAME OF PROVIDER OR SUPPLIER  <b>RUTLAND REGIONAL MEDICAL CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>160 ALLEN ST</b> <b>RUTLAND, VT 05701</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
A 000	INITIAL COMMENTS  An unannounced on-site complaint investigation # 20293 was conducted at Rutland Regional Medical Center by the Division of Licensing and Protection on 12/27/21 regarding allegations related to COPs: Medical Staff and Discharge Planning. There were no regulatory violations identified.	A 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.