

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line (888) 700-5330

To Report Adult Abuse: (800) 564-1612

December 23, 2019

Ms. Lauren White, Administrator
Saint Albans Healthcare And Rehabilitation Center
596 Sheldon Road
Saint Albans, VT 05478-8011

Provider ID #: 475021

Dear Ms. White:

The Division of Licensing and Protection completed a re-certification survey at your facility on **December 18, 2019**. The purpose of the survey was to determine if your facility was in compliance with Federal participation requirements for nursing homes participating in the Medicare/Medicaid programs. This survey found that your facility was in substantial compliance with the participation requirements.

Congratulations to you and your staff.

Sincerely,



Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/23/2019
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475021	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/18/2019
--	---	--	---

NAME OF PROVIDER OR SUPPLIER SAINT ALBANS HEALTHCARE AND REHABILITATION CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 596 SHELDON ROAD SAINT ALBANS, VT 05478
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

E 000 Initial Comments

The Division of Licensing and Protection conducted a review of the facility's Emergency Preparedness requirements on 12/18/19. The facility was found to be in substantial compliance with these regulations.

E 000

F 000 INITIAL COMMENTS

An unannounced onsite recertification survey was conducted by the Division of Licensing and Protection from 12/16 - 12/18/19. The facility was found to be in substantial compliance with the regulations.

F 000

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.