

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330
To Report Adult Abuse: (800) 564-1612

February 28, 2022

Thomas Dee, CEO
Southwestern Vermont Medical Center
100 Hospital Drive
Bennington, VT 05201

Dear Mr. Dee:

The Division of Licensing and Protection completed a complaint investigation at your facility on **February 23, 2022**. The purpose of the investigation was to determine if your facility met the conditions of participation for Acute Care Hospitals found in 42 CFR Part 482.

This investigation found that your facility was in substantial compliance with the participation requirements.

Sincerely,



Suzanne Leavitt, RN, MS
State Survey Agency Director
Assistant Director, Division of Licensing & Protection

Encl

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/28/2022
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 470012	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 02/23/2022
NAME OF PROVIDER OR SUPPLIER SOUTHWESTERN VERMONT MEDICAL CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 100 HOSPITAL DRIVE BENNINGTON, VT 05201		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
A 000	INITIAL COMMENTS An unannounced on-site complaint investigation #20308 was conducted by the Division of Licensing and Protection on 2/22-2/23/22 at SVMC. There were no regulatory violations identified.	A 000		
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.