

DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection HC 2 South, 280 State Drive Waterbury, VT 05671-2060 http://www.dail.vermont.gov

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

January 26, 2018

Rachael Parker, Administrator Sterling House At Richmond 61 Farr Road Richmond, VT 05477-9301

Provider #

Dear Ms. Parker:

The Division of Licensing and Protection conducted an onsite complaint investigation on **January 26**, **2018**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **January 26**, **2018** and there were no regulatory violations related to the complaint allegations.

Sincerely,

Pamela M. Cota, RN

amlaMCHaRN

Licensing Chief

Enclosure



Division of Licensing and Protection (X1) PROVIDER/SUPPLIER/CLIA STATEMENT OF DEFICIENCIES (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING: __ С B. WING 0591 01/26/2018 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE **61 FARR ROAD** STERLING HOUSE AT RICHMOND RICHMOND, VT 05477 PROVIDER'S PLAN OF CORRECTION SUMMARY STATEMENT OF DEFICIENCIES (X4) ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX **PREFIX** (EACH CORRECTIVE ACTION SHOULD BE COMPLETE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG DEFICIENCY) R100 Initial Comments: R100 An unannounced on-site complaint investigation was conducted on 1/24/18 and completed on 1/26/18 by the Division of Licensing and Protection to determine compliance with the Residential Care Home Licensing Regulations. No regulatory violations were identified.

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE