



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

June 1, 2023

Rachael Parker, Manager
Sterling House At Richmond
61 Farr Road
Richmond, VT 05477-9301

Dear Ms. Parker:

Thank you for the cooperation you gave our surveyor during the **May 31, 2023**, annual survey of your facility.

Enclosed is the Residential Care Home Survey Statement indicating that your facility is in substantial compliance with the current regulatory requirements. Congratulations to you and your staff.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,

Pamela Cota, RN
Licensing Chief

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0591	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 05/31/2023
--	---	---	---

NAME OF PROVIDER OR SUPPLIER STERLING HOUSE AT RICHMOND	STREET ADDRESS, CITY, STATE, ZIP CODE 61 FARR ROAD RICHMOND, VT 05477
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	<p>Initial Comments:</p> <p>The Division of Licensing and Protection conducted a relicensure survey on 5/31/23. There were no regulatory violations as a result.</p>	R100		

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------