

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

October 8, 2021

Mr. Dane Rank, Administrator
Thompson House Nursing Home
80 Maple Street
Brattleboro, VT 05301


Provider ID #: 475050

Dear Mr. Rank:

On **October 1, 2021**, we conducted a revisit to the Life Safety Code survey of **July 19, 2021** to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility is in substantial compliance with participation requirements found in Title 42, Code of Federal Regulations as of **August 27, 2021**.

If you have any questions concerning this letter please contact me at (802) 241-0480.

Sincerely,



Pamela Cota, RN
Licensing Chief

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/08/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475050	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED R 10/01/2021
NAME OF PROVIDER OR SUPPLIER THOMPSON HOUSE NURSING HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 80 MAPLE STREET BRATTLEBORO, VT 05301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{K 000}	INITIAL COMMENTS The Division of Fire Safety conducted an unannounced, onsite revisit survey at the facility on the date indicated in the upper right hand corner of this form. The violation(s) previously identified have been corrected.	{K 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.