

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury, VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

December 16, 2021


Dane Rank, Administrator  
Thompson House Nursing Home  
80 Maple Street  
Brattleboro, VT 05301

Provider #: 475050

Dear Mr. Rank:

The Division of Licensing and Protection conducted an onsite complaint investigation on **December 15, 2021**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **December 15, 2021** and there were no regulatory violations related to the complaint allegations.

Sincerely,



Pamela M. Cota, RN  
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/16/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>475050</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>12/15/2021</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>THOMPSON HOUSE NURSING HOME</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>80 MAPLE STREET</b> <b>BRATTLEBORO, VT 05301</b>
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000	<p>INITIAL COMMENTS</p> <p>An unannounced onsite investigation was conducted on 12/15/21 by the Division of Licensing and Protection for one complaint and one facility reported incident related to this complaint. There were no regulatory violations.</p>	F 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.