

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line (888) 700-5330

To Report Adult Abuse: (800) 564-1612

August 1, 2019

Ms. Patricia Russell, Administrator
Union House Nursing Home
3086 Glover Street
Glover, VT 05839-9701


Provider ID #: 475036

Dear Ms. Russell:

The Division of Licensing and Protection completed a survey at your facility on **July 31, 2019**. The purpose of the survey was to determine if your facility was in compliance with Federal participation requirements for nursing homes participating in the Medicare/Medicaid programs. This survey found that your facility was in substantial compliance with the participation requirements.

Congratulations to you and your staff.

Sincerely,



Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/01/2019
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475036	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 07/31/2019
NAME OF PROVIDER OR SUPPLIER UNION HOUSE NURSING HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 3086 GLOVER STREET GLOVER, VT 05839		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments During an unannounced on-site re-certification survey from 7/29/19 to 7/31/19, an Emergency Preparedness review was conducted, by the Division of Licensing and Protection. The facility was found in substantial compliance with this regulation.	E 000			
F 000	INITIAL COMMENTS An unannounced on-site re-certification survey along the investigation of two Facility Reported Incidents was conducted by the Division of Licensing and Protection from 7/29/19 to 7/31/19. The facility was found in substantial regulatory compliance for both the survey and the Facility Reported Incidents.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.