

Division of Licensing and Protection  
HC 2 South, 280 State Drive  
Waterbury VT 05671-2060  
<http://www.dail.vermont.gov>  
Survey and Certification Voice/TTY (802) 241-0480  
Survey and Certification Fax (802) 241-0343  
Survey and Certification Reporting Line: (888) 700-5330  
To Report Adult Abuse: (800) 564-1612

February 25, 2022


Stephen Leffler, CEO  
University Of Vermont Medical Center  
111 Colchester Ave  
Burlington, VT 05401

Dear Dr. Leffler:

The Division of Licensing and Protection completed a complaint investigation at your facility on **February 22, 2022**. The purpose of the investigation was to determine if your facility met the conditions of participation for Acute Care Hospitals found in 42 CFR Part 482.

This investigation found that your facility was in substantial compliance with the participation requirements.

Sincerely,



Suzanne Leavitt, RN, MS  
State Survey Agency Director  
Assistant Director, Division of Licensing & Protection

Encl

cc: Carol Muzzy, UVMMC Regulation Compliance

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/25/2022  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>470003</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b> <b>02/22/2022</b>
NAME OF PROVIDER OR SUPPLIER  <b>UNIVERSITY OF VERMONT MEDICAL CENTER</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>111 COLCHESTER AVE</b> <b>BURLINGTON, VT 05401</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
A 000	INITIAL COMMENTS  An unannounced on-site investigation of complaint # 20297 was conducted on 02/22/2022 by the Division of Licensing and Protection as authorized by the Centers for Medicare and Medicaid to determine compliance with the following Conditions of Participation: Nursing Services, Patient Rights and Physician Services. There were no regulatory violations identified.	A 000		
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.