

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

March 6, 2020


Mr. Ron Cioffi, Director, Director
Vna & Hospice Of The Southwest Region Inc
7 Albert Cree
Rutland, VT 05701-4648

Dear Mr. Cioffi:

The Division of Licensing and Protection completed a complaint investigation at your facility on **March 4, 2020**. The purpose of the investigation was to determine if your agency was in compliance with Regulations for the Designation and Operation of Home Health Agencies. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Suzanne Leavitt, RN, MS
Assistant Division Director
State Survey Agency Director

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: VT477007	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 03/04/2020
--	---	---	---

NAME OF PROVIDER OR SUPPLIER VNA & HOSPICE OF THE SOUTHWEST REGIO	STREET ADDRESS, CITY, STATE, ZIP CODE 7 ALBERT CREE RUTLAND, VT 05701
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

H 001	Initial Comments An unannounced on-site complaint investigation was conducted by the Division of Licensing and Protection on 3/4/2020 and the agency was found to be in substantial compliance.	H 001		
-------	--	-------	--	--

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------