



Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury, VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

November 26, 2018

Johanna Beliveau, Administrator
Vna Of Vt & Nh
88 Prospect Street
White River Junction, VT 05001-5400

Provider #: 477002

Dear Ms. Beliveau:

The Division of Licensing and Protection conducted an onsite complaint investigation on **November 14, 2018**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **November 14, 2018** and there were no regulatory violations related to the complaint allegations.

Sincerely,

A handwritten signature in black ink that reads "Pamela M. Cota".

Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/26/2018
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 477002	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 11/14/2018
--	---	--	---

NAME OF PROVIDER OR SUPPLIER VNA OF VT & NH	STREET ADDRESS, CITY, STATE, ZIP CODE 88 PROSPECT STREET WHITE RIVER JUNCTION, VT 05001
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

G 000 INITIAL COMMENTS

An unannounced, on-site investigation of 1 self reported event and 1 complaint was conducted by the Division of Licensing and Protection on 11/14/2018. At this time no federal regulatory violations were identified.

G 000

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.