

## DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection HC 2 South, 280 State Drive Waterbury VT 05671-2060 http://www.dail.vermont.gov

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

April 26, 2019

Ms.Johanna Beliveau, Director Vna Of Vt & Nh 88 Prospect Street White River Junction, VT 05001-5400

Dear Ms. Beliveau:

The Division of Licensing and Protection completed a complaint investigation at your facility on **April 22, 2019**. The purpose of the investigation was to determine if your agency was in compliance with Regulations for the Designation and Operation of Home Health Agencies. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,

Suzanne Leavitt, RN, MS Assistant Division Director

Director State Survey Agency

Sezanne E. Lant Ru, ins

Division of Licensing and Protection (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING: \_\_\_ C B. WING 04/22/2019 VT477002 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 88 PROSPECT STREET VNA OF VT & NH WHITE RIVER JUNCTION, VT 05001 PROVIDER'S PLAN OF CORRECTION SUMMARY STATEMENT OF DEFICIENCIES (X5) COMPLETE (X4) ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX PRÉFIX DATE CROSS-REFERENCED TO THE APPROPRIATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) H 001 H 001 Initial Comments An unannounced, on-site complaint investigation was conducted by the Division of Licensing and Protection on 4/22/2019. No state regulatory issues were identified.

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE